

L Number	Hits	Search Text	DB	Time stamp
-	31008	stylus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:09
-	6092	stylus and retain\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:00
-	2177	stylus and retain\$6 and release\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:00
-	1769	stylus and retain\$6 and release\$6 and mechani\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:01
-	650	stylus and retain\$6 and release\$6 and mechani\$6 and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:01
-	564	stylus and retain\$6 and release\$6 and mechanism and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:01
-	405	stylus and retain\$6 and release\$6 and mechanism and housing and receive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:01
-	5	stylus and retain\$6 adj slot and release\$6 and mechanism and housing and receive and cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:02
-	95	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:03
-	82	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:03
-	79	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:03
-	34	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:05
-	19	stylus and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:08

-	508	palm with (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 09:43
-	2	palm with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:30
-	17	palm with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 09:45
-	59	palm with (stylus or pen) and retain\$6 and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:30
-	92	PDA with (stylus or pen) and retain\$6 and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:30
-	59	palm with (stylus or pen) and retain\$6 and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:30
-	1	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and (release\$6 and terminate and cavity) and (resilient and force)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:31
-	2	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and terminate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:33
-	7	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and resilient and force	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:33
-	9	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:34
-	22	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 10:43
-	33	PDA with (stylus or pen) and slidable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 11:11
-	1	((PDA or pesrsonal adj digital adj assistant) or palm or (portable adj cpmputer or hand adj held adj cpmputer)) with (slid\$6 or inset\$6) adj (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 11:08
-	9	PDA with (stylus or pen) and slidable and holder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 11:09

-	9	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 12:13
-	9	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 12:13
-	1	PDA with (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing and receive and cavity and slid\$6 and insert\$6 and terminate and (resilient and force)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:20
-	202	(PDA or hand adj held adj computer or PALM) with housing and slidable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:30
-	27	(PDA or hand adj held adj computer or PALM) with housing and slidable and (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:44
-	1	data adj capturing adj device with (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:46
-	11	touch adj pad and attached adj (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:52
-	3	signature adj pad and attached adj (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:59
-	1	(POS with credit adj card adj swiper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:57
-	2	POS and credit adj card adj swiper	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:58
-	182	signature adj pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 13:59
-	85	signature adj pad and (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 14:03
-	3	signature adj pad and (stylus or pen) and retain\$6 and slot and release\$6 and mechanism and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 14:04
-	22	signature adj pad and (stylus or pen) and retain\$6 and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 14:19

-	7	signature adj capture adj pad and (stylus or pen) and retain\$6 and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 08:24
-	1	stylus adj (retaining and releasing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:09
-	309	stylus and (retaining and releasing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:09
-	0	stylus and (retaining and releasing)adj mechanism	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:10
-	0	stylus and (retaining and releasing)adj mechan\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:10
-	231	stylus and (retaining and releasing)and mechanism	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:10
-	0	stylus and (retaining and releasing)and mechanism and suitable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:11
-	86	stylus and (retaining and releasing)and mechanism and suit\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:11
-	83	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:11
-	42	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:12
-	34	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and receive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:12
-	34	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:13
-	33	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:13
-	18	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:13

-	11	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:13
-	11	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:14
-	10	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:14
-	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:17
-	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:16
-	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and configurat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:16
-	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:16
-	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6 and eject	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:17
-	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable and arrange\$6 and eject\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:18
-	0	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and stable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:18
-	5	stylus and (retaining and releasing)and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:18

-	5	stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6 and clamp\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:18
-	5	stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6 and resilient and force and arrange\$6 and eject\$6 and clamp\$6 and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:19
-	7	stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6 and terminate\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:34
-	10	stylus adj hold\$6 adj housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:36
-	0	stylus adj hold\$6 adj housing and (retaining and releasing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:37
-	0	stylus adj hold\$6 adj housing and (holding and releasing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/04 15:37
-	11	stylus and (retaining and releasing) and mechanism and suit\$6 and use\$6 and housing and (receive and stylus) and slot and cavity and slidabl\$6 and insert\$6 and release\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 07:54
-	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (retin\$6 or hold\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 08:25
-	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (retin\$6 or hold\$6) and slid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 08:25
-	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and ((retin\$6 or hold\$6) and slid\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:17
-	0	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and ((retin\$6 or hold\$6) and (stylus or pen) adj slid\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:07
-	0	signature adj capture adj pad and ((stylus or pen) and (stylus or pen) adj slid\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:07
-	0	signature adj capture adj pad and ((stylus or pen) and (stylus or pen) adj slid\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:08

-	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 adj housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:10
-	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and signature adj apd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:10
-	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and signature adj pad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:10
-	11	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and Electronic adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:15
-	3	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and (PDA or palm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:15
-	7	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj gorve or track or path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:33
-	20	5,561,282	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:31
-	2	5,561,282.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:31
-	1	5,561,282.pn. and (stylus and (retin\$6 or hold\$6) and slid\$6 adj gorve or track or path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:32
-	0	5,561,282.pn. and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:33
-	0	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:33
-	0	signature adj capture adj pad and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:33
-	44	(stylus or pen) and housing and (stylus or pen) adj slide\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:41
-	19	(stylus or pen) and housing and ((stylus or pen) and retain\$6 and slot) and (stylus and (retin\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:35

-	6	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and (stylus and (retain\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:38
-	0	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and (stylus and (retain\$6 or hold\$6) and slid\$6 adj (gorve or track or path or hold\$6)) and electronic adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:39
-	1	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and ((stylus or pen) and retain\$6 and slot) and electronic adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:40
-	11	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and electronic adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:40
-	3	(stylus or pen) and housing and (stylus or pen) adj slide\$6 and (palm or pda)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:42
-	108311	PDA or PALM or hand adj held adj electronic adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:04
-	108311	(PDA or PALM or (hand adj held adj electronic adj device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:06
-	1862	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:06
-	107	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and push adj button	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:07
-	42	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and push adj button	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:08
-	51	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and eject\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:08
-	25	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and eject\$6 and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 10:08
-	16	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and groove and eject\$6 and housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:41
-	3	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and slid\$6 and groove and eject\$6 and housing and polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:17

-	30	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:18
-	18	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer and slid\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:18
-	0	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing adj polymer and slid\$6 and groove	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:19
-	0	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing adj polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:19
-	7	(PDA or PALM or (hand adj held adj electronic adj device)) with (stylus or pen) and housing and polymer and slid\$6 and groove	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:19
-	2	5,892,824.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:37
-	0	5,892,824.pn. and polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:37
-	0	6,200,056.pn. and polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:38
-	0	6,700,773.pn. and polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:39
-	0	6,193,152.pn. and polymer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 12:39